

ESD-Pro


DVI Hot Plug Connector Protector

Product number:8.13

Summary

ESD-Pro is a DVI electrostatic protection device interface developed for the rental and staging industry. It is normally used with video processors and other DVI interface devices that need to be repeatedly plugged and unplugged. The DVI-D male to DVI female connector can be directly plugged into the DVI device that needs protection. It can protect the DVI interface of the main equipment from physical damage after multiple plugging and unplugging cycles with its built-in four ESD protection chips. It protects the DVI interface of the device from over current and has a signal detection LED for fast troubleshooting. the DVI interface of the main equipment from physical damage after multiple plugging and unplugging cycles with its built-in four ESD protection chips. It protects the DVI interface of the device from over current and has a signal detection LED for fast troubleshooting

Product view




Technical Characteristics

- ✦ ESD protector with DVI interface for critical equipment.
- ✦ Developed exclusively for the demands of repeated use.
- ✦ Video signal detection LED supports quick troubleshooting.
- ✦ Four built-in ESD protection chips protect against discharge of connectors during hot-swapping.

- ✦ ESD protection supports 15 kV air discharge and 8 kV contact discharge.
- ✦ Protects critical equipment DVI interfaces from physical damage after repeated plugging and unplugging.
- ✦ Zinc alloy shell with dimensions of 38mm x 39mm x 14mm
- ✦ This is a functional loss product; if damaged, please purchase again.


Diagram of Details



Product Parameter

Name	Parameter
Housing Material	Zinc Alloy
Product Color	Silver
Applications	Equipment with DVI connectors
Chips	Four built-in ESD protection chips
Signal Detection LED	Yes
DVI Hot Plug	Yes
Interface protection	Protect the DVI interface from being damaged after multiple plugging and unplugging
Product Dimensions	38mm * 39mm * 14mm
Product Weight	45.37g
Package Dimensions	212 * 201 * 62mm
Package Weight	2kg (40 pieces / box)

Dimensional drawing



- Product Dimensions 38mm * 39mm * 14mm
- Product Weight 45.37g
- Package Dimensions 212 *201 *62mm
- Package Weight 2kg (40 pieces / box)